Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
S92	416	context\$5 near (data information description\$1 comment\$1) same (location\$1 place\$1) same (position\$3 gps)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 16:51
S93	48	context\$5 near (data information description\$1 comment\$1) same (location\$1 place\$1) same (position\$3 gps) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 16:52
S94	15	S93 and @rlad<="20030130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 16:59
S95	2	location-based near service\$1 same context\$ near (data information description\$1) same (position\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:01
S96	9	location-based near service\$1 same context\$ near (data information description\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:04
S97	5	context\$6 same location-based near service\$1 same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:36
S98	5	location-based near service\$1 same database same (fee charge\$1 paid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:43
S99	1	"7024205".pn. and rat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:50
S10 0	1	"7024205".pn. and administrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:54

S10 1	1	10/765410	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 18:04
S10 2	49	(client\$1 user\$1 customer\$1) same (enter\$3 input\$4 register\$3) same landmark\$1 near3 (location\$1 information data) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:02
S10 3	11	S102 and @rlad<="20030130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:04
S10 4	277	(client\$1 user\$1 customer\$1) same (enter\$3 input\$4 register\$3) same location near3 based with (landmark\$1 information data) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:05
S10 5	100	S104 and @rlad<="20030130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:04
S10 6	97	S105 not S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:10
S10 7	12	S106 and (client\$1 user\$1 customer\$1) same (edit\$5 alter\$4 modif\$5 chang\$3 revision\$3 updat\$3) same location near3 based with (landmark\$1 information data) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:11
S10 8	85	S106 not S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:11
S10 9	83	S108 and (edit\$5 alter\$4 modif\$5 chang\$3 revision\$3 updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:11

		LASI SealC				
S11 0	1	10/765410	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:05
S11 1	1	S110 and rating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:37
S11 2	12402	(rating rate) same (data information) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:38
S11 3	4091	(rating rate) with (data information) with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:39
S11 4	68	(rating rate) with (data information) with (stor\$1 save\$1) near2 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:47
S11 5	25	S114 and @rlad<="20030130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:52
S11 6	27	(client\$1 user\$1) same (rating rate) with (data information) with (stor\$1 save\$1) near2 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:49
S11 7	1592	(client\$1 user\$1) same (enter\$3 input\$3) same (rating rate) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:50
S11 8	446	(client\$1 user\$1) with (enter\$3 input\$3) with (rating rate) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:53
S11 9	2	S118 and location-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:50

S12 0	159	S118 and @rlad<="20030130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:54
S12 1	240	(client\$1 user\$1) with (enter\$3 input\$3) with (rating rate) with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:53
S12 2	101	S121 and @rlad<="20030130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 17:30
S12 3	2	"6963867".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:16
S12 4	240	(client\$1 user\$1) with (enter\$3 input\$3) with (rating rate) with database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 17:30
S12 5	2	S124 and @rlad<="20030130" and location-based	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 17:37
S12 6	2	10/614736	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 17:37